L Number	Hits	Search Text	DB	Time stamp
1	289	XML adj code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:22
2	0	XML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:22
3	2	(XML adj code) near3 figure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:23
4	31	(XML adj code) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:24
5	203	(XML adj code) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:24
–	2	("6209124").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:21
–	98	(("5878411") or ("5956730") or ("5956725") or ("6076090") or ("6519605") or ("5857194") or ("6032153") or ("6006224") or ("5987247") or ("6002874") or ("6341289") or ("5430836") or ("5819090") or ("5826076") or ("5901313") or ("5794248") or ("5809508") or ("6141660") or ("4930071") or ("5546301") or ("6243615") or ("6049673") or ("6324682") or ("6606742") or ("6047324") or ("5786825") or ("5815195") or ("5870605") or ("5873084") or ("5912669") or ("5926775") or ("5946694") or ("5956680") or ("5974417") or ("6021443") or ("6151702") or ("6243825") or ("6374299") or ("6473748") or ("5892949") or ("6253194") or ("5960200") or ("5878422") or ("5815731") or ("6467079") or ("6018743") or ("5450545") or ("5577246") or ("5943676") or ("5956728")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 09:26
–	7	("5878419" | "5905248" | "5940075" | "5943424" | "6023684" | "6026409" | "6094684").PN.	USPAT	2003/09/11 12:12
–	4	6209124.URPN.	USPAT	2003/09/11 12:25
–	18	(("6081808") or ("5794247") or ("5799313") or ("5835910") or ("5956725") or ("5956730") or ("5974256") or ("6016495") or ("6122638")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:04
–	14	("5161225" | "5212787" | "5291583" | "5295256" | "5297279" | "5303379" | "5414812" | "5421015" | "5426747" | "5437027" | "5459860" | "5499371" | "5542078" | "5799313").PN.	USPAT	2003/09/11 12:54
–	935	legacy adj (application or code or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05

-	0	(legacy adj (application or code or program)) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05
-	597	(legacy adj (application or code or program)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05
-	91	(legacy adj (application or code or program)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:06
-	0	((legacy adj (application or code or program)) near3 (access$4 near3 data)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:07
-	1	((legacy adj (application or code or program)) near3 (access$4 near3 data$4)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:13
-	24	(legacy adj (application or code or program) near3 wrap$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:29
-	18	("5430836" | "5457798" | "5473777" | "5475845" | "5680551" | "5761656" | "5806079" | "5809318" | "5953534" | "5960202" | "5966707" | "5974258" | "5978579" | "6009525" | "6044469" | "6163794" | "6179489" | "6237044").PN.	USPAT	2003/09/11 13:40
-	33	("4722048" | "4821220" | "4885717" | "4891630" | "4953080" | "5041992" | "5050090" | "5060276" | "5075848" | "5093914" | "5119475" | "5125091" | "5133075" | "5136705" | "5136711" | "5151987" | "5179703" | "5181162" | "5313636" | "5315703" | "5315709" | "5317741" | "5321841" | "5325481" | "5325522" | "5325524" | "5325533" | "5339430" | "5339438" | "5361350" | "5361358" | "5379432" | "5404529").PN.	USPAT	2003/09/11 14:23
-	51	5475845.URPN.	USPAT	2003/09/11 14:26
-	2	("5499371").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:46
-	0	6442749.URPN.	USPAT	2003/09/11 14:32
-	6	("4930071" | "5235701" | "5291583" | "5295256" | "5297279" | "5426780").PN.	USPAT	2003/09/11 14:34
-	130	5499371.URPN.	USPAT	2003/09/11 14:37
-	1052	relational near3 ((object adj oriented) or OO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:47
-	1009	(relational near3 ((object adj oriented) or OO)) same data$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:48

-	871	(relational near3 ((object adj oriented) or OO)) near3 data$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:48
-	9361	(legacy or existing) adj (software or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:50
-	0	((legacy or existing) adj (software or program or application or code)) same (procedural near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:52
-	16	((legacy or existing) adj (software or program or application or code)) same (data near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:01
-	543	((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 13:27
-	1	(((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4)) and ((convert$4 or translat$4) near3 (data adj record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:04
-	0	(((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4)) and ((convert$4 or translat$4) near3 (record adj layout))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:04
-	19	(((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4)) and ((convert$4 or translat$4) near3 ((data or record) adj format))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:06
-	31	(determin$4 or comput$4 or calculat$4) near3 (record near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:23
-	13	("5161225" | "5212787" | "5291583" | "5295256" | "5297279" | "5303379" | "5414812" | "5421015" | "5426747" | "5437027" | "5459860" | "5499371" | "5542078").PN.	USPAT	2003/09/12 08:48
-	7	5809509.URPN.	USPAT	2003/09/26 10:34
-	348	(instrument$4 or modif$4) near3 API	USPAT	2003/09/26 12:37
-	23	(instrument$4 or modif$4) same (API near3 (access or hook))	USPAT	2003/09/26 12:59
-	5492	adapt$4 near3 code	USPAT	2003/09/26 13:00
-	461	adapt$4 adj code	USPAT	2003/09/26 13:00
-	720	((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4 or adapt$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 13:28
-	62	(((legacy or existing) adj (software or program or application or code)) near3 (modif$4 or alter$4 or instrument$4 or hook$4 or adapt$4)) same (wrap$4 or conver$5 or (object adj oriented))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:47
-	4	(("6252587") or ("6094684")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:41

-	568	wrap$4 near3 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:47
-	3782	wrap$4 near3 (code or component or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:48
-	717	(wrap$4 near3 (code or component or module)) and ((chang$3 or modif$4 or alter$4 or rewrit$4 or convert$4) near3 (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:50
-	148	(wrap$4 adj (code or component or module)) and ((chang$3 or modif$4 or alter$4 or rewrit$4 or convert$4) near3 (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:50
-	67	(wrap$4 adj (code or component or module)) and ((chang$3 or modif$4 or alter$4 or rewrit$4 or convert$4) adj (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:50
-	0	benifit$4 near3 (instrument$4 or wrap$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:44
-	13196	advantag$5 near3 (instrument$4 or wrap$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:45
-	6008	advantag$5 near3 (instrumentation or instrumenting or wrap$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:45
-	2323	advantag$5 near3 (instrumentation or instrumenting or wrapper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:46
-	438	advantag$5 adj (instrumentation or instrumenting or wrapper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:46
-	144	(advantag$5 adj (instrumentation or instrumenting or wrapper)) and (code or application or software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:49
-	54359	((code or application or program or software) near3 (instrument$4 or modif$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:53
-	10948	((code or application or program or software) adj (instrument$4 or modif$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:53
-	2065	((code or application or program or software) adj (instrument$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:53

-	911	((code or application or program or software) adj (instrument$4)) and (debug$5 or analy$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:54
-	33	((code or application or program or software) adj (instrument$4)) and (debug$5 or analy$5) and ((reason$4 or motiva$5) near3 instrument$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:57
-	23	compil$5 adj (additions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:58
-	11	("4695977" | "5237684" | "5295222" | "5379432" | "5386559" | "5430875" | "5519867" | "5546301" | "5677997" | "5680619" | "5854929").PN.	USPAT	2003/09/29 08:09
-	130	modif$4 near3 legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:38
-	10	(modif$4 near3 legacy) and wrapper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:47
-	0	200167290.URPN.	USPAT	2003/09/29 08:41
-	3	522319.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:42
-	14	(modif$4 near3 legacy) and (convert$4 near3 (code or program or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:50
-	37719	(modif$4 near3 (code or program or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:50
-	4	(modif$4 near3 (code or program or application)) same (database adj reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:10
-	657	(generat$4 near3 (code or application or program or component)) same XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:10
-	24	(generat$4 near3 (code or application or program or component)) same ((read or write or access or manipulat$3) near3 XML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:16
-	134	(generat$4 near3 ((source adj code) or component)) same (XML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:17
-	1111	(generat$4 near3 ((source adj code) or component)) same (database or (data adj request) or (binary adj data adj record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:18

-	24	(generat$4 near3 ((source adj code) or component)) same (database or (data adj request) or (binary adj data adj record)) same XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:19
-	18	(generat$4 near3 ((source adj code) or component)) same (XML adj schema)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:23
-	4	(("5269014") or ("4949253")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML adj example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:01
-	0	HTML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	7	code near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML near5 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:01
-	0	XML same example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:02
-	1	XML and example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:02

YAHOO! search

Your Search: "Common Object Datastore Adapter"   [Search]

Advanced Web Search
Preferences

Web   Directory   News NEW!   Yellow Pages   Images

powered by (hp)

(i) We didn't find any Web pages containing "Common Object Datastore Adapter".

Tip:
Check your spelling.
Try different words that mean the same thing.
Broaden your search by using fewer words.

NPL
9/29/03

http://search.yahoo.com/search?p=%22Common+Object+Datastore+Adapter%22&ei=UTF-8... 9/11/03

YAHOO! search

Your Search: "Datastore Adapter" [Search]

Advanced Web Search
Preferences

Web | Directory | News NEW! | Yellow Pages | Images

powered by [hp]

TOP 1 WEB RESULTS out of about 1

1. kbmMW history of changes: ========================= 1.06b 1.
   ... The purpose of all the datastore adapter changes is to allow for complex
   transaction handling and automated multitable resolving in for example join
   situations ...
   www.components4programmers.com/products/kbmmw/download/history.txt cached

Web | Directory | News NEW! | Yellow Pages | Images

Your Search: "Datastore Adapter" [Search]

Advanced Web Search
Preferences

Search from anywhere online with the Yahoo! Companion Toolbar

Y! [_____] [Search Web] [▾] | 🔍 Search This Site | 🖊 Highlight | 📖 Bookmarks

http://search.yahoo.com/search?p=%22Datastore+Adapter%22&sub=Search&ei=UTF-8&fr=... 9/11/03

YAHOO! search

Your Search: IBM CODA   [Search]

Advanced Web Search
Preferences

[ ] Web | Directory | News NEW! | Yellow Pages | Images

SPONSOR RESULTS (What's this?) (Become a Sponsor)

- **Ibm Code - Compare Prices at NexTag.com** - At NexTag.com, the search engine for shoppers, compare prices, tax, shipping, ratings and reviews from name brand stores all over the Web. Sellers, list your own store at Nextag today.
www.nextag.com
- **IBM - Shop Online** - Save when you shop at Ibm with online coupons from CouponMountain.com. Be sure to always check our site for coupons before you shop online.
www.CouponMountain.com

TOP 20 WEB RESULTS out of about 31,200

1. **Information about Burns, Casio, Coda and Ibm keyboard!**
... Ibm keyboard Bach, Burns, Casio, Coda, Codera, Dawn and Deering. Find all of the musical instruments and sheet music you need from major brands. ...
www.musical-instruments-shop.com/ibm_keyboard.asp

2. **CODA - Financial Intelligence - News Article**
News Article. CODA accredited to IBM's Galaxy Solution Programme management solutions: Extends CODA's established availability on IBM iSeries Server. ...
www.coda.com/system/Article.asp?MNO=5&AID=198 cached | more results from this site

3. **Coda mailing list - Re: Venus dying on file create by xemacs or ...**
... Next message: Jan Harkes: "Re: Patch against SEGV (Was: Announcing coda release 5.2.4)"; Previous message: mattwell_at_us.ibm.com: "Venus dying on file create ...
www.coda.cs.cmu.edu/maillists/codalist/codalist-1999/1469.html cached | more results from this site

4. **CODA Support - Legal Notices**
... e-Billing; CODA e-Customiser; CODA e-Finance; CODA e-Procurement; CODA-Explorer; CODA-Financials; CODA-Financials for HP3000; CODA-Financials for IBM AS/400 ...
support.coda.com/legal.asp cached

5. **JARING Internet magazine**
... The integrated Cerner and IBM offerings also will help the healthcare industry ... ProCare healthcare solution from Greatcare Systems Sdn Bhd and CODA Group (www ...
www.magazine.jaring.my/2001/october/index2.html?content=stay2.html cached

6. **intent to package: coda (+ copyright question)**
... Header: /afs/cs/project/coda-src/cvs/coda/coda-src/vice/ s rvproc.cc,v 4.10 1998/01/12 23:35:42 braam Exp $"; #endif /*_BLURB_*/ /* IBM COPYRIGHT NOTICE ...
lists.debian.org/debian-devel/1998/debian-devel-199804/msg00775.html cached | more results from this site

---

7. **CODA - Autorisierungen**
fon: 0361 739490 fax: 0361 7394920. email: info@coda-erfurt.de. HRB 56. Autorisierungen und Qualifizierungen. ... 1 AAR. IBM Business Partner. IBM Service Partner. ...
www.coda-erfurt.de/referenz/ cached | more results from this site

8. **Linux-Community: AFS-Filesystem von IBM als Open Source**
... Bewertungen (0 % = sehr schlecht, 100% = sehr gut) Business, Cluster, Dateisystem, IBM: nahe verwandt ... Und was ist mit CODA, Anonymous 52% [14] 2000-09-05 22:01. ...
www.linux-community.de/Neues/story?storyid=330 cached

9. **Japan.internet.com LinuxTutorial - Linux 用 Coda ...**
... Linux 用 Coda 分散ファイルシステム―4; Linux 用 Coda 分散ファイルシステム ――5. ★最新トップニュース。■ 日本 IBM ...
japan.internet.com/linuxtutorial/20030630/2.html cached | more results from this site

10. **Disconnected Operation in the Coda File System (MICROSOFT POWERPOINT)**
... File: Halt entire reintegration process. Dir: investigate more. Manual repair. Coda Evaluation. Hardware. 386 laptop, IBM Decstation 3100s. 350MB disk. How ...? ...
www.cis.upenn.edu/~maoy/courses/coda.ppt view as html

11. **HPC-NEWS archives – 2000**
... coda da 72 ore su IBM SP3 - 72 hours queue on IBM SP3: coda da 72 ore su IBM SP3 - 72 hours queue on IBM SP3 (54 lines) From: Sigismondo Boschi <s.boschi@cineca ...
list.cineca.it/cgi-bin/wa?A1=ind00&L=hpc-news cached

12. **Ocarina Systems**
... Ocarina provide a growing number of CODA® users on the OpenVMS, IBM AS/400 and Open Client/Server platforms with a first class, responsive and bespoke support ...
www.ocarinasystems.com/coda/ cached | more results from this site

13. **Slashdot | IBM Linux Boxes**
... That makes me wonder – how is IBM going to respond to Coda, seeing as to how when Coda matures it will be a Better DFS?!? That ...
slashdot.org/articles/99/02/15/1638236.shtml cached | more results from this site

14. **Celdas - instalacion masiva – Almacenamiento distribuido de ...**
... AFS Andrew Filesystem ttp://www.openafs.org/http://www.openafs.org/, que es más maduro y cuenta con soporte comercial, inclusive de IBM. Coda Filesystemttp ...
www.magma.com.ni/~jorge/cells_7.html cached

15. **Centro Elaborazione Dati - ENEA Frascati- Sistema IBM SP POWER3**
... presso il Centro di Calcolo di Frascati un nuovo server di calcolo IBM-SP POWER3 ... il dare il comando: bsub my_programm -R sp3 -queue nome della coda * (per run ...
www.frascati.enea.it/info/supercalcolo/ibmspp3.htm cached

16. **Open Applications Group - News**
... American Software, CODA, JD Edwards, IBM Manufacturing Solutions Unit,

---

Marcam Solutions, NEC C&C Systems Group, Oracle, PeopleSoft, QAD, SAP, and TSW have ...
www.openapplications.org/news/pr-info/970224.htm cached | more results from this site

17. **<html> <head> </head><body><pre> CODA CREDITS The Linux port of ...**
... Carnegie Mellon has obtained permission from IBM to freely distribute Coda source code under the terms mentioned in the Coda redistribution notice. ...
www.mit.edu/afs/sipb/project/coda/src/coda/CREDITS cached | more results from this site

18. **IBM Passport**
www.usc-b2b.com/Products/Licenses/Filemaker/Corel/IBM_Passport/ibm_passport.cfm cached | more results from this site

19. **CODA - Financial Intelligence - Home**
... CODA wins major order with UK's largest metal recycling company. CODA accredited to IBM's Galaxy Solution Programme management solutions. CODA Comments. ...
www.coda-financials.com/ cached

20. **CODA CREDITS The Linux port of Coda was initiated and led by ...**
... Carnegie Mellon has obtained permission from IBM to freely distribute Coda source code under the terms mentioned in the Coda redistribution notice.
www.cs.cmu.edu/afs/cs.cmu.edu/project/coda-braam/coda-4.6.6/CREDITS cached | more results from this site

Results Page:
1 2 3 4 5 6 7 8 9 10 ▶ **Next**

[ ] Web | Directory | News NEW! | Yellow Pages | Images

Your Search: IBM CODA   [Search]

Advanced Web Search
Preferences

YAHOO! search

Your Search: [OO translate record]   [Search]   Advanced Web Search
Preferences

[Web] Directory News NEW! Yellow Pages Images   powered by (hp)

TOP 20 WEB RESULTS out of about 9,430

1. **ARSperl Manual - OO Layer Overview** 🔊
ARSperl Programmer's Manual - OO Layer Form Object. ... This method returns a list of matching Record IDs. ... an "internal" function that is used to translate a field ...
arsinfo.cit.buffalo.edu/perl/manual/OO/form.html cached

2. **RootsWeb: WIMILWAU-L Archive (December 2002)** 🔊
... Fw: [WiMilwau] Fw: Ihre Anfrage MICHELS oo THIELEN-can some kind soul translate this ... Ellen (Waukesha County); [WMilwau] Directories/Vital Record Lookups in ...
archiver.rootsweb.com/th/index/WIMILWAU/2002-12 cached | more results from this site

3. **OpenOffice.org** 🔊
... This tool was able to record actions of the user and translate them into StarBasic code. It was removed before the OO.o source code was released. ...
framework.openoffice.org/proposals/macro/macrorecording.html cached

4. **CS558 F'01 Lecture NotesLecture 8 PSU CS558 F'01 Lecture 8 cfl ...** (POSTSCRIPT) 🔊
... (Some OO languages, eg ... 10); d.addElement(new Line(20,20,40,40); d.translate(3,4 ... implementation, each object is represented by a heap-allocated record, containing. ...
www.cs.pdx.edu/~apt/cs558_2001/lecture8_4up.ps view as html | more results from this site

5. **Inside translate silence it will split and the song which it ....** 🔊
... Perdono Qualcosa Nella Traduzione or Inside translate silence it ... baby's correct round circle, baby's correct record, baby's correct ... of the boy of the oo (the oo ...
www.bedfordvan.themoon.co.uk/midi/translation_songs.htm cached

6. **Re: Structs (was RE: Record selectors)** 🔊
... ericsson.se>; Subject: Re: Structs (was RE: Record selectors ... has been around a lot longer than OO of course ... one of which is only there to translate messages from ...
www.erlang.org/ml-archive/erlang-questions/200301/msg00168.html cached | more results from this site

7. **Star Office 5.2 vs OO 1 vs SO 6 -Macros** 🔊
... List <mdlug@xxxxxxxx>; Subject: Star Office 5.2 vs OO 1 vs ... Office 1.0.1 has only seven buttons, the record button just ... There is no chance to translate your old ...
www.mdlug.org/archives/mdlug/msg10203.html cached

8. **BBB aa cc kk tt oo tt hh ee FF uu tt uu rr ee** (PDF) 🔊
www.ahinc.com/support/download/Horizon02Augst.pdf view as html

9. **RavingsAboutOop** 🔊
... if the module and record names are identical ... I think I would want to take a complex OO design (even a good one, of which I have seen few) and translate it into ...
www.bluetail.com/wiki/showPage?node=RavingsAboutOop cached | more results from this site

10. **Geometry.Net - Scientists: Faulhaber Johann** 🔊
... (lib.) oo 12.01.1796 GI ... 1989, 106, 203-210 Record 605 of 1656 - MLA Bibliography 1981-5/98 TI: Das groteske Leben und seine edle ... Clara Translate this page 1810. ...
www.geometry.net/scientists/faulhaber_johann_page_no_5.php cached | more results from this site

11. **Re: [OO interface design] Pass-by reference VS encapsulation ?** 🔊
... of indices O. /the original artilce J. /Translate into Japanese ... Subject: Re: [OO interface design] Pass-by reference VS ... As a Relational Database Record. ...
blade.nagaokaut.ac.jp/cgi-bin/scat.rb/ruby/ruby-talk/70475?help-en cached | more results from this site

12. **NewsForge: The Online Newspaper of Record for Linux and Open ...** 🔊
... Open Source, The Online Newspaper of Record for Linux ... Some things display slightly different in OO, but print ... the point where it didn't translate properly, it ...
newsforge.com/newsforge/03/07/09/1934259.shtml?tid=23 cached | more results from this site

13. **Design Patterns in OO Programming (CIS4930): Syllabus - Fall, ...** 🔊
... discuss the consequences of applying it; translate an application into ... somehow lacking (ie, does not demonstrate sound OO methodology, application ... Track record. ...
www.cise.ufl.edu/~dts/dp/syllabus.html cached

14. **xella: Oo; I never posted the entry I made this** 🔊
... So also for the record: If anyone has any Saiyuki fanart that you drew ... oO; Yeah. ... Sub yaoi fangirls aren't that bad unless they translate things: Gokuu Wukong ...
www.livejournal.com/users/xella/938158.html cached | more results from this site

15. **Introduction to OO Analysis & Finding Classes** (MICROSOFT WORD) 🔊
... Collaborator (CRC) Method was designed to teach basic concepts in OO design and ... (6) Record your candidate ... These will translate to superclasses and subclasses. ...
www.cse.fau.edu/~maria/COURSES/COP4331-OO/PetrieOOClasses2002.doc view as html

16. **darinw.com** 🔊
darinw.com. .oO(GuestBook)Oo. [Powered by Blogger]. Wednesday, July 09, 2003. ... I am still looking for a working laptop to use in order to record the mix onto mp3. ...
www.darinw.com/ cached

17. **CSc 520** (PDF) 🔊
... & $ % · An OO language compiler would translate the declarations in the previous slide into something similar to this: TYPE Shape=POINTER TO RECORD x, y ...

www.cs.arizona.edu/~collberg/Teaching/520/2003/Handouts/Handout-21.pdf view as html | more results from this site

18. **TTeeaacchhiinngg SSppeecciiaalliisstts s / / LLeeccttuurreerrss ...** (PDF) 🔊
... on n H Ha an nd db bo oo ok k ... To obtain your keys and class record books, please see Dijana Andic ... it would not be appropriate to simply translate materials for ...
spanport.cla.umn.edu/webCal/data/specguidelines.pdf view as html

19. **Log Entry 211: Record-Breaker** 🔊
Record-Breaker. ... The wolf growls something that might translate as "One shekel." Or maybe "The bats are flapping in Hempersdam." It can't just be a bad ... oO (Great ...
sinai.critter.net/log.php?title=Record-Breaker cached

20. **Integrated Course Outline of Record** (MICROSOFT WORD) 🔊
Integrated Course Outline of Record. Mt. ... program flowcharts, pseudocode, and Object-oriented (OO) notation ... and select the appropriate PDM, and translate that PDM ...
www.msjc.edu/currcomm/docs/outlines/csis/CSIS123A-new%20APR%2000.doc view as html | more results from this site

Results Page:
1 2 3 4 5 6 7 8 9 10 ▶ Next

[Web] Directory News NEW! Yellow Pages Images

Your Search: [OO translate record]   [Search]   Advanced Web Search
Preferences

Best Available Copy